Contents

CHEMICAL PROCESSES IN MONOLAYERS AND MULTILAYERS

Preparation of highly oriented polyarylenevinylene thin films by the Langmuir–Blodgett technique. 1
M. Era, K. Kamiyama, K. Yoshiura, T. Momii, H. Murata, S. Tokito, T. Tsutsui and S. Saito (Fukuoka, Japan)

Properties of inserted mercury sulphide single layers in a Langmuir–Blodgett matrix 9
C. Zylberajch, A. Ruaudel-Teixier and A. Barraud (Gif sur Yvette, France)

Photopolymerization of long-chain diacetylene monocarboxylic acid in Langmuir–Blodgett films studied by UV photoelectron spectroscopy and X-ray absorption near-edge structure. 15
K. Seki, I. Morisada, H. Tanaka, K. Edamatsu, M. Yoshiki, Y. Takata, T. Yokoyama, T. Ohta (Hiroshima, Japan), S. Asada, H. Inokuchi (Okazaki, Japan), H. Nakahara and K. Fukuda (Urawa, Japan)

Binding of sugars and water-soluble polymers to a monolayer of cyclic resorcinol tetramer at the air–water interface 21
K. Kurihara, K. Ohto (Fukuoka, Japan), Y. Tanaka, Y. Aoyama (Nagaoka, Japan) and T. Kunitake (Fukuoka, Japan)

Effects of side-group interactions on pressure-induced chromism of polydiacetylene monolayer at a gas–water interface 27
Y. Tomioka, N. Tanaka and S. Imazeki (Tokyo, Japan)

Photopolymerization of monomolecular films with diacetylene bonds on an aqueous subphase. 33
H. Tamura, N. Mino and K. Ogawa (Osaka, Japan)

Reorientation of aliphatic tails during the photopolymerization of a diacetylenic lipid. 41
H. D. Göbel (Garching, F.R.G.), K. Kjaer, J. Als-Nielsen (Roskilde, Denmark) and H. Möhwald (Mainz, F.R.G.)

Photopolymerization in a Langmuir–Blodgett film of an amphiphilic cyclodextrin derivative containing a diacetylene group. 53
H. Niino, H. Miyasaka, A. Ouchi, Y. Kawabata, A. Yabe (Ibaraki, Japan), T. Miyasaka, W. Tagaki (Osaka, Japan), H. Nakahara and K. Fukuda (Urawa, Japan)

Relationship between structures and polymerizabilities of ω-tricosenoic acid thin films 59
H. Fujioka, T. Sorita, Y. Nakasuji and H. Nakajima (Hyogo, Japan)

Photochromism of salicylideneaniline chromophore incorporated in Langmuir–Blodgett multilayers. 65
X. Xu, Y. Munakata, M. Era, T. Tsutsui and S. Saito (Fukuoka, Japan)

Preparation and properties of polymer Langmuir–Blodgett films with cyclobutane rings 71
F. Nakanishi (Ibaraki, Japan)

Formation and Langmuir–Blodgett deposition of monolayers of poly(vinyl alcohol)s bearing azobenzene side-chains of varied spacer length 77
T. Seki and K. Ichimura (Ibaraki, Japan)

Preparation of multilayers using chemical adsorption and electron-beam irradiation 85
K. Ogawa, H. Tamura, N. Mino and M. Hatada (Osaka, Japan)

Electrocatalytic reduction of CO_2 on modified electrodes with alkylcyclam–metal complex Langmuir–Blodgett films. 95
Y. Hirata, K. Suga and M. Fujihira (Tokyo, Japan)

Control of polymerization reactions and polymer structures through the molecular orientation of amphiphilic monomers in Langmuir–Blodgett films 103
K. Fukuda, Y. Shibasaki, H. Nakahara and H. Endo (Urawa, Japan)

ELECTRICAL PROPERTIES

Electrical properties of new donor amphiphiles in Langmuir–Blodgett films . 109
B. Tieke and A. Wegmann (Fribourg, Switzerland)

Electrical properties of metal–insulator–metal and metal–insulator–semiconductor structures containing Langmuir–Blodgett insulating multilayers . 121
F. Kaneko, M. Shibata, Y. Inaba and S. Kobayashi (Niigata, Japan)

Electron motion perpendicular to Langmuir–Blodgett multilayers of conjugated macrocyclic compounds: the organic quantum well 129
P. E. Burrows, K. J. Donovan and E. G. Wilson (London, U.K.)

Electrical memory switching in Langmuir–Blodgett films 137
K. Sakai, H. Kawada, O. Takamatsu, H. Matsuda, K. Eguchi and T. Nakagiri (Kanagawa, Japan)

Thermally stimulated currents in fatty acid Langmuir–Blodgett films sandwiched between metal electrodes 143
N. J. Geddes, J. R. Sambles (Exeter, U.K.), N. R. Couch (London, U.K.), W. G. Parker and D. J. Jarvis (Exeter, U.K.)

Thermally grown fatty acid films *vs.* Langmuir–Blodgett films 155
V. K. Agarwal (Moorhead, MN, U.S.A.)

Electron affinity and structure of Langmuir–Blodgett films of cadmium arachidate by means of low-energy electron transmission 161
N. Ueno (Chiba, Japan), H. Nakahara (Urawa, Japan), K. Sugita (Chiba, Japan) and K. Fukuda (Urawa, Japan)

Langmuir–Blodgett films based on bis(ethylenedithio)tetrathiafulvalene C_n molecules 171
C. Lalanne, P. Delhaes, E. Dupart, Ch. Garrigou-Lagrange, J. Amiell, J. P. Morand and B. Desbat (Talence, France)

Anomalous linewidth of electron spin resonance in Langmuir–Blodgett films of the 3:2 complex of tetramethyltetrathiafulvalene and tetradecyltetracyanoquinodimethane. 177
K. Ikegami, S.-I. Kuroda, K. Saito, M. Saito, M. Sugi, T. Nakamura, M. Matsumoto, Y. Kawabata (Ibaraki, Japan) and G. Saito (Tokyo, Japan)

Conductive Langmuir–Blodgett films based on alkylammonium–metal (4,5-dimercapto-1,3-dithiol-2-dithiolene)$_2$. 183
T. Nakamura, H. Tanaka, K. Kojima, M. Matsumoto, H. Tachibana, M. Tanaka and Y. Kawabata (Ibaraki, Japan)

Preparation and properties of poly(*p*-phenylenevinylene) Langmuir–Blodgett film 191
Y. Nishikata, M.-A. Kakimoto and Y. Imai (Tokyo, Japan)

Fabrication of novel electrically conductive Langmuir–Blodgett thin films of the poly(3-alkylthiophenes) 199
I. Watanabe, K. Hong and M. F. Rubner (Cambridge, MA, U.S.A.)

Photoresponsive conductivity in Langmuir–Blodgett films 207
H. Tachibana, A. Goto, T. Nakamura, M. Matsumoto, E. Manda, H. Niino, A. Yabe and Y. Kawabata (Ibaraki, Japan)

Langmuir–Blodgett thin films of electrically conductive surface-active polypyrroles 215
K. Hong and M. F. Rubner (Cambridge, MA, U.S.A.)

Conductive Langmuir–Blodgett mutlilayer films of poly(3-octylthiophene) . . 221
P. Yli-Lahti, E. Punkka, H. Stubb, P. Kuivalainen (Espoo, Finland) and J. Laakso (Porvoo, Finland)

Syntheses of conducting polymer Langmuir–Blodgett multilayers 225
M. Ando, Y. Watanabe, T. Iyoda, K. Honda and T. Shimidzu (Kyoto, Japan)

Novel conducting Langmuir–Blodgett films based on 2-*n*-octyloxy-5,6,11,12-tetrathiotetraracene—preparation methods and physical properties 233
B. Tieke, A. Wegmann, W. Fischer, B. Hilti, C. W. Mayer and J. Pfeiffer (Basle, Switzerland)

Phase transition of conductive Langmuir–Blodgett films by heat treatment . . 239
H. Tachibana, H. Komizu, T. Nakamura, M. Matsumoto, E. Manda, Y. Kawabata (Ibaraki, Japan) and T. Kato (Utsunomiya, Japan)

Electron spin resonance study of Langmuir–Blodgett films of the complexes of alkylammonium and metal(dmit)$_2$ anion 245
K. Ikegami, S.-I. Kuroda, K. Saito, M. Saito, M. Sugi, T. Nakamura, H. Tachibana, M. Matsumoto and Y. Kawabata (Ibaraki, Japan)

Electric and spectroscopic properties of Langmuir–Blodgett films containing tetracyanoquinodimethane with various mixed valent states 251
K. Suga, H. Yoneyama, S. Fujita and M. Fujihira (Tokyo, Japan)

Crystal structures and physical properties of cation radical salt (C_1TET-TTF)$_2PF_6$ and related salts 259
A. Otsuka, G. Saito, T. Sugano, M. Kinoshita (Tokyo, Japan) and K. Honda (Ibaraki, Japan)

Deposition peculiarities of Langmuir–Blodgett films of some charge transfer salts 267
P. S. Sotnikov, T. S. Berzina, V. I. Troitsky (Moscow, U.S.S.R.), R. E. Valter, G. A. Karlivan and O. Ya. Neiland (Riga, U.S.S.R.)

Electrical evaluation of ultrathin organic films on solid substrates 277
S. Sha, T. Hisatsune, T. Moriizumi (Tokyo, Japan), K. Ogawa, H. Tamura, N. Mino (Osaka, Japan), Y. Okahata and K. Ariga (Tokyo, Japan)

Negative resistance and electron emission in metal/Langmuir–Blodgett film/metal structures 283
K. Takimoto, H. Kawade, K. Sakai, Y. Yanagisawa, K. Eguchi and T. Nakagiri (Kanagawa, Japan)

Electronic properties of poly(fumarate) Langmuir–Blodgett films 287
K. Shigehara (Saitama, Japan), Y. Murata, N. Amaya (Ibaraki, Japan) and A. Yamada (Saitama, Japan)

Transient and steady photoelectric properties of monolayer assemblies containing amphipathic porphyrin and alloxazine derivatives 293
T. Nagamura, S. Kamata, K. Sakai, K. Matano and T. Ogawa (Fukuoka, Japan)

Lead phthalocyanine Langmuir–Blodgett films 297
K. Nichogi, K. Waragai, A. Taomoto, Y. Saito and S. Asakawa (Kawasaki, Japan)

Purification of lutetium diphthalocyanine and electrochromism of its Langmuir–Blodgett films 303
Y. Liu (Beijing, China), K. Shigehara and A. Yamada (Saitama, Japan)

A study of light-induced charge transfer at interface of copper tetrasulphonatophthalocyanine molecular films and p-Si(111) 309
W. Lui, W. Yang, T. Li (Changchun, China), Y. Liu and Z. Zhu (Kaifeng, China)

Mobile ion drift in Langmuir–Blodgett films 313
G. L. Larkins, Jr., (Miami, FL, U.S.A.), C. D. Fung (Foxboro, MA, U.S.A.) and S. E. Rickert (Cleveland, OH, U.S.A.)

Forced deposition of polar *z*-type Langmuir–Blodgett films. 319
G. L. Larkins, Jr., (Miami, FL, U.S.A.) and C. D. Fung (Foxboro, MA, U.S.A.)

Low energy electron transmission measurements on polydiacetylene Langmuir–Blodgett films 327
T. Maeda (Sendai, Japan), K. Miyano (Tokyo, Japan), K. Sugita and N. Ueno (Chiba, Japan)

Physical mechanisms of pyroelectricity in Langmuir–Blodgett films 335
R. Colbrook and G. G. Roberts (Oxford, U.K.)

Langmuir–Blodgett films of μ-oxo-bis[tetra-*tert*-butylphthalocyanine iron(III)] 343
S. K. Gupta, R. A. Hann (Manningtree, U.K.) and M. V. Twigg (Cleveland, U.K.)

OPTICAL PROPERTIES

Measurements of local fields of molecular dipoles in Langmuir–Blodgett films 351
L. M. Blinov, S. P. Palto, A. A. Udal'yev and S. G. Yudin (Moscow, U.S.S.R.)

Quadratic non-linear spectroscopy in Langmuir–Blodgett films of charge-transfer diazostilbenes and polyenes 359
F. Kajzar (Gif sur Yvette, France) and I. Ledoux (Bagneux, France)

In-plane anisotropy of interface-adsorbed complex Langmuir–Blodgett films 369
K. Saito, K. Ikegami, S.-I. Kuroda, M. Saito and M. Sugi (Ibaraki, Japan)

Photoinduced electrochromism in monolayer assemblies of ion pair charge transfer complexes of 4,4′-bipyridinium ions. 375
T. Nagamura, K. Sakai and T. Ogawa (Fukuoka, Japan)

Studies on the second harmonic generation of bilayer assembly structures . . 381
F. Tao, L. Xu, G. Chen, X. Yang, G. Wang, J. Zheng, Z. Zhang and W. Wang (Shanghai, China)

Electrochromism in ytterbium bisphthalocyanine–(stearic acid or cadmium stearate) films deposited by the Langmuir–Blodgett technique 387
M. Petty, D. R. Lovett, J. M. O'Connor and J. Silver (Colchester, U.K.)

Spectral and luminescent properties of Langmuir–Blodgett films of stilbazole salt: formation of H aggregates 397
M. V. Alfimov, I. K. Lednev and D. A. Styrkas (Chernogolovska, U.S.S.R.)

The characterization of organoruthenium complexes 405
T. Richardson, G. G. Roberts, M. E. C. Polywka and S. G. Davies (Oxford, U.K.)

Second harmonic generation in Langmuir–Blodgett multilayers of stilbazolium chloride polyethers. 413
B. L. Anderson (Davis, CA, U.S.A.), J. M. Hoover, G. A. Lindsay (China Lake, CA, U.S.A.). B. G. Higgins, P. Stroeve and S. T. Kowel (Davis, CA, U.S.A.)

New Amphiphilic diacetylene compounds for non-linear optics 423
S. Okada, H. Matsuda, H. Nakanishi, M. Kato (Ibaraki, Japan) and M. Otsuka (Saitama, Japan)

Langmuir–Blodgett films of polyalkylthiophene–poly(isobutyl methacrylate) mixed polymers and their optical and electrical properties 429
M.-A. Sato, S. Okada, H. Matsuda, H. Nakanishi and M. Kato (Tsukuba, Japan)

Reversible colour phase transitions and annealing properties of Langmuir–Blodgett polydiacetylene films 433
M. Shibata, F. Kaneko, M. Aketagawa and S. Kobayashi (Niigata, Japan)

Langmuir–Blodgett films of preformed copolymers of *N*-alkylacrylamides with vinylcarbazole 439
T. Miyashita, T. Yatsue, Y. Mizuta and M. Matsuda (Sendai, Japan)

Energy transfer and excimer formation in layered polymer films prepared by the Langmuir–Blodgett technique 445
S. Ito, H. Okubo, S. Ohmori and M. Yamamoto (Kyoto, Japan)

Excitation energy relaxation of dye molecules in Langmuir–Blodgett monolayer films 451
N. Tamai, T. Yamazaki and I. Yamazaki (Sapporo, Japan)

Photoinduced electron transfer in Langmuir–Blodgett films 457
R. C. Ahuja and D. Möbius (Göttingen, F.R.G.)

Electron transfer quenching of an excited amphiphilic $Ru(bpy)_3^{2+}$ derivative in Langmuir–Blodgett films containing various ferrocene derivatives as electron donors 463
T. Kondo, H. Yamada, K. Nishiyama, K. Suga and M. Fujihira (Tokyo, Japan)

Photoinduced intramolecular electron transfer across monolayers consisting of linear A–S–D triad amphiphilic molecules 471
M. Fujihira and M. Sakomura (Tokyo, Japan)

Photochromism of an amphiphilic azobenzene derivative in its Langmuir–Blodgett films prepared as polyion complexes with ionic polymers 477
K. Nishiyama, M.-A. Kurihara and M. Fujihira (Tokyo, Japan)

Novel molecular optical memory of luminescent Langmuir–Blodgett films . . 485
M. Fujihira, T. Kamei, M. Sakomura, Y. Tatsu and Y. Kato (Tokyo, Japan)

Photoinduced orientational transformations in polar Langmuir–Blodgett films 493
M. I. Barnik, S. P. Palto, V. A. Khavrichev, N. M. Shtykov and S. G. Yudin (Moscow, U.S.S.R.)

Light-induced molecular orientation in Langmuir–Blodgett films of spiropyran 497
Y. Unuma and A. Miyata (Chiba, Japan)

Optical and electrical properties of selectively adsorbed Langmuir–Blodgett films 503
C. Okazaki, S. Kuniyoshi, K. Kudo and K. Tanaka (Chiba, Japan)

Enhanced absorption of Langmuir–Blodgett monolayers on silver island films 509
H. Muraki, T. Ito and M. Hiramatsu (Hamamatsu, Japan)

Optical properties of highly ordered perylene multilayers 515
J. G. Warren, J. P. Cresswell, M. C. Petty, J. P. Lloyd (Durham, U.K.), A. Vitukhnovsky and M. I. Sluch (Moscow, U.S.S.R.)

S_2 emission from porphyrin assemblies. 521
G. A. Schick (Blacksburg, VA, U.S.A.)

Studies of orientation and order of interleaved Langmuir–Blodgett films of a hemicyanine dye. 529
P. Stroeve, D. D. Saperstein and J. F. Rabolt (San Jose, CA, U.S.A.)

Characterization of modulated spin-coated and Langmuir–Blodgett thin film etalons 535
C. A. Eldering, S. T. Kowel, A. Knoesen, B. L. Anderson and B. G. Higgins (Davis, CA, U.S.A.)

The influence of light on the properties of fatty acid–poly(3-octylthiophene) Langmuir–Blodgett films 543
J. P. K. Peltonen and J. B. Rosenholm (Åbo, Finland)

Electron transfer quenching in excited chlorophyll-a in mixed Langmuir–Blodgett films by crystal violet. 549
L. Shao, K. Tian, J. Wang, T. Li (Changchun, China), X. Ma, C. Liu and Z. Zhu (Kaifeng, China)

AUTHOR INDEX 553